

Figure 9: Number of bots detected by DeBot per day. Gaps indicate downtime due to update and maintenance.




Figure 10: Comparison between benign accounts and accounts we (*DeBot*) detect as bot. The dashed lines show near complete separation in all of the features between benign accounts and the accounts *DeBot* detected considering the mean and the standard deviation.




Figure 11: Comparison between accounts we detected as bot (*DeBot*), accounts suspended by Twitter and accounts detected as bot by Bot or Not? (*BoN*)

6. REFERENCES

- [1] Bot or not? a truthy project. <http://truthy.indiana.edu/botornot/>.
- [2] Supporting web page containing video, data, code and daily report. www.cs.unm.edu/~chavoshi/debot.
- [3] Targeted journalists react as ak party trolls hint at new operation. http://www.todayszaman.com/anasayfa_targeted-journalists-react-as-ak-party/-trolls-hint-at-new-operation_354568.html.
- [4] N. Chavoshi, H. Hamooni, and A. Mueen. DeBot: Twitter Bot Detection via Warped Correlation. In *Proceedings of the IEEE International Conference on Data Mining, ICDM '16*, 2016.
- [5] N. Chavoshi, H. Hamooni, and A. Mueen. Identifying correlated bots in twitter. In *Social Informatics - 8th International Conference, SocInfo 2016, Bellevue, WA, USA, November 11-14, 2016, Proceedings, Part II*, pages 14–21, 2016.
- [6] E. Ferrara, O. Varol, C. Davis, F. Menczer, and A. Flammini. The rise of social bots. *Communications of the ACM*, 59(7):96–104, 6 2016.
- [7] H. Hamooni, N. Chavoshi, and A. Mueen. On URL changes and handovers in social media. In *Social Informatics - 8th International Conference, SocInfo 2016, Bellevue, WA, USA, November 11-14, 2016, Proceedings, Part I*, pages 58–74, 2016.
- [8] H. Hamooni and A. Mueen. Dual-domain Hierarchical Classification of Phonetic Time Series. In *ICDM 2014*, ICDM, 2014.
- [9] A. Mueen, H. Hamooni, and T. Estrada. Time Series Join on Subsequence Correlation. In *2014 IEEE International Conference on Data Mining*, pages 450–459. IEEE, 12 2014.
- [10] A. Mueen, E. Keogh, Q. Zhu, S. Cash, and B. Westover. Exact Discovery of Time Series Motifs. *Proceedings of the 2009 SIAM International Conference on Data Mining*, pages 473–484, 2009.
- [11] C. N. Mueen Abdullah, N. Abu-El-Rub, H. Hamooni, and A. Minnich. Fast Warping Distance for Sparse Time Series. In *Proceedings of the IEEE International Conference on Data Mining, ICDM '16*, 2016.
- [12] V. S. Subrahmanian, A. Azaria, S. Durst, V. Kagan, A. Galstyan, K. Lerman, L. Zhu, E. Ferrara, A. Flammini, F. Menczer, R. Waltzman, A. Stevens, A. Dekhtyar, S. Gao, T. Hogg, F. Kooti, Y. Liu, O. Varol, P. Shiralkar, V. Vydiswaran, Q. Mei, and T. Huang. The DARPA Twitter Bot Challenge. Jan. 2016.
- [13] K. Tao, F. Abel, C. Hauff, G.-J. Houben, and U. Gadiraju. Groundhog Day: Near-duplicate Detection on Twitter. In *Proceedings of the 22Nd International Conference on World Wide Web, WWW '13*, pages 1273–1284, Republic and Canton of Geneva, Switzerland, 2013. International World Wide Web Conferences Steering Committee.
- [14] D. Yankov, E. Keogh, J. Medina, B. Chiu, and V. Zordan. Detecting time series motifs under uniform scaling. In *Proceedings of the 13th ACM SIGKDD international conference on Knowledge discovery and data mining KDD '07*, KDD '07, page 844, 2007.