



Figure 4: Java programming framework for Eclipse IDE

```

4 PREFIX dc: <http://purl.org/dc/elements/1.1/>
5 PREFIX home-dataset: <http://sensormeasurement.
  appspot.com/dataset/home-dataset/>
6
7 SELECT DISTINCT ?name ?value ?unit ?inferType ?
  deduce ?suggest ?suggest_comment WHERE{
8   ?measurement m3:hasName ?name.
9   ?measurement m3:hasValue ?value.
10  ?measurement m3:hasDateTimeValue ?time.
11  ?measurement m3:hasUnit ?unit.
12
13  # inferTypeUri = m3:RoomTemperature
14  ?measurement rdf:type ?inferTypeUri.
15  ?inferTypeUri rdfs:label ?inferType.
16
17  ?inferTypeUri m3:isRelatedTo ?deduceUri.
18  #deduceUri = home-dataset:LowTemperature
19  ?deduceUri rdfs:label ?deduce.
20
21  ?deduceUri m3:hasRecommendation ?suggestUri .
22  ?suggestUri rdfs:label ?suggest.
23  ?suggestUri dc:description ?suggest_comment.
24 }

```

Listing 3: Query to retrieve temperature data with enriched value

Step 6: Showing results. This step of the demonstration is to show final suggestions to a client application. The suggestions could be an actionable information such as sending alerts to a mobile application and/or controlling actuators. For our scenario described in Section 3.1, the actionable information is triggering an actuator at home with a notification to user, shown in Figure 3.

4. ACKNOWLEDGMENTS

This work is partially funded by a bilateral research convention with ENGIE Research & Development, the ANR 14-

CE24-0029 OpenSensingCity project² and institutional collaboration supported by the Horizon 2020 Programme European project “Federated Interoperable Semantic IoT/cloud Testbeds and Applications” (FIESTA-IoT) from the European Union with the Grant Agreement No. CNECT-ICT-643943, Science Foundation Ireland (SFI) under grant No. SFI/12/RC/228, EU FP7 CityPulse Project under grant No.603095³ and French ANR project DataTweet⁴.

5. REFERENCES

- [1] S. Chauhan, P. Patel, A. Sureka, F. C. Delicato, and S. Chaudhary. IoTSuite: A Framework to Design, Implement, and Deploy IoT Applications: Demonstration Abstract. In *Proceedings of the 15th International Conference on Information Processing in Sensor Networks*, pages 37:1–37:2, NJ, USA, 2016.
- [2] S. K. Datta and C. Bonnet. Easing iot application development through datatweet framework. In *2016 IEEE 3rd World Forum on Internet of Things (WF-IoT)*, pages 430–435, Dec 2016.
- [3] A. Gyrard. *Designing Cross-Domain Semantic Web of Things Applications*. PhD thesis, Telecom ParisTech, Eurecom, April 2015.
- [4] P. Patel, A. Gyrard, D. Thakker, A. Sheth, and M. Serrano. SWoTSuite: A Toolkit for Prototyping Cross-domain Semantic Web of Things Applications. In *Proceedings of the 15th International Semantic Web Conference (ISWC)*, 2016.
- [5] P. Patel, A. Kattepur, D. Cassou, and G. Bouloukakis. Evaluating the Ease of Application Development for the Internet of Things. Technical report, Feb. 2013.

²<http://opensensingcity.emse.fr>

³<http://www.ict-citypulse.eu>

⁴<http://www.agence-nationale-recherche.fr/?Projet=ANR-13-INFR-0008>