





- [4] "Cluster Mode Overview - Spark 1.2.0 Documentation - Cluster Manager Types". apache.org. Apache Foundation. 2014-12-18. Retrieved 2015-01-18.
- [5] <https://www.gitbook.com/book/databricks/databricks-spark-reference-applications/details>
- [6] Shanahan, J. G., Kurra, G. Web Advertising: Business Models, Technologies and Issues in Information Retrieval, Edited by Massimo Melucci and Ricardo Baeza-Yates, 2010
- [7] Biswanath Panda, Joshua S. Herbach, Sugato Basu, and Roberto J. Bayardo. 2009. PLANET: massively parallel learning of tree ensembles with MapReduce. Proc. VLDB Endow. 2, 2 (August 2009), 1426-1437. DOI=10.14778/1687553.1687569 <http://dx.doi.org/10.14778/1687553.1687569>
- [8] Gábor Takács et al (2008). Matrix factorization and neighbor based algorithms for the Netflix prize problem. In: Proceedings of the 2008 ACM Conference on Recommender Systems, Lausanne, Switzerland, October 23 - 25, 267-274.
- [9] Patrick Ott (2008). Incremental Matrix Factorization for Collaborative Filtering. Science, Technology and Design 01/2008, Anhalt University of Applied Sciences.
- [10] TensorFlow: Large-scale machine learning on heterogeneous systems, 2015. Software available from [tensorflow.org](http://tensorflow.org).
- [11] François Chollet, Keras, (2015), GitHub repository: <https://github.com/fchollet/keras>
- [12] Joeri Hermans and CERN IT-DB, Distributed Keras : Distributed Deep Learning with Apache Spark and Keras, (2016), GitHub repository: <https://github.com/JoeriHermans/dist-keras/>