

8. REFERENCES

- [1] L. Akoglu, M. McGlohon, and C. Faloutsos. Oddball: Spotting anomalies in weighted graphs. In *Advances in Knowledge Discovery and Data Mining*, pages 410–421. Springer, 2010.
- [2] P. Berkhin. A survey of clustering data mining techniques. In *Grouping multidimensional data*, pages 25–71. Springer, 2006.
- [3] A. Beutel, W. Xu, V. Guruswami, C. Palow, and C. Faloutsos. Copycatch: stopping group attacks by spotting lockstep behavior in social networks. In *Proceedings of the 22nd international conference on World Wide Web*, pages 119–130. International World Wide Web Conferences Steering Committee, 2013.
- [4] Q. Cao, M. Sirivianos, X. Yang, and T. Pregueiro. Aiding the detection of fake accounts in large scale social online services. In *Presented as part of the 9th USENIX Symposium on Networked Systems Design and Implementation (NSDI 12)*, pages 197–210, 2012.
- [5] Q. Cao, X. Yang, J. Yu, and C. Palow. Uncovering large groups of active malicious accounts in online social networks. In *Proceedings of the 2014 ACM SIGSAC Conference on Computer and Communications Security*, pages 477–488. ACM, 2014.
- [6] S. Eguchi and J. Copas. Interpreting kullback–leibler divergence with the neyman–pearson lemma. *Journal of Multivariate Analysis*, 97(9):2034–2040, 2006.
- [7] D. M. Freeman. Using naive bayes to detect spammy names in social networks. In *Proceedings of the 2013 ACM workshop on Artificial intelligence and security*, pages 3–12. ACM, 2013.
- [8] W. A. Hamilton, O. Garretson, and A. Kerne. Streaming on twitch: fostering participatory communities of play within live mixed media. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 1315–1324. ACM, 2014.
- [9] X. Hei, Y. Liu, and K. W. Ross. Inferring network-wide quality in p2p live streaming systems. *Selected Areas in Communications, IEEE Journal on*, 25(9):1640–1654, 2007.
- [10] D. C. Hoaglin, B. Iglewicz, and J. W. Tukey. Performance of some resistant rules for outlier labeling. *Journal of the American Statistical Association*, 81(396):991–999, 1986.
- [11] B. Hooi, N. Shah, A. Beutel, S. Gunneman, L. Akoglu, M. Kumar, D. Makhija, and C. Faloutsos. Birdnest: Bayesian inference for ratings-fraud detection. *arXiv preprint arXiv:1511.06030*, 2015.
- [12] M. Jiang, P. Cui, A. Beutel, C. Faloutsos, and S. Yang. Catchsync: catching synchronized behavior in large directed graphs. In *Proceedings of the 20th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 941–950. ACM, 2014.
- [13] M. Jiang, P. Cui, A. Beutel, C. Faloutsos, and S. Yang. Inferring strange behavior from connectivity pattern in social networks. In *Advances in Knowledge Discovery and Data Mining*, pages 126–138. Springer, 2014.
- [14] E. Karakus. *A Look Into Streaming*, 2014 (accessed June 14, 2016).
- [15] M. Kaytoue, A. Silva, L. Cerf, W. Meira Jr, and C. Raïssi. Watch me playing, i am a professional: a first study on video game live streaming. In *Proceedings of the 21st international conference companion on World Wide Web*, pages 1181–1188. ACM, 2012.
- [16] X. Liao, H. Jin, Y. Liu, L. M. Ni, and D. Deng. Anysee: Peer-to-peer live streaming. In *INFOCOM*, volume 25, pages 1–10. Citeseer, 2006.
- [17] S. Liu, R. Zhang-Shen, W. Jiang, J. Rexford, and M. Chiang. Performance bounds for peer-assisted live streaming. In *ACM SIGMETRICS Performance Evaluation Review*, volume 36, pages 313–324. ACM, 2008.
- [18] H.-H. Mao, C.-J. Wu, E. E. Papalexakis, C. Faloutsos, K.-C. Lee, and T.-C. Kao. Malspot: Multi2 malicious network behavior patterns analysis. In *Advances in Knowledge Discovery and Data Mining*, pages 1–14. Springer, 2014.
- [19] S. Pandit, D. H. Chau, S. Wang, and C. Faloutsos. Netprobe: a fast and scalable system for fraud detection in online auction networks. In *Proceedings of the 16th international conference on World Wide Web*, pages 201–210. ACM, 2007.
- [20] D. Pelleg, A. W. Moore, et al. X-means: Extending k-means with efficient estimation of the number of clusters. In *ICML*, volume 1, 2000.
- [21] B. A. Prakash, A. Sridharan, M. Seshadri, S. Machiraju, and C. Faloutsos. Eigenspokes: Surprising patterns and scalable community chipping in large graphs. In *Advances in knowledge discovery and data mining*, pages 435–448. Springer, 2010.
- [22] D. Sculley. Web-scale k-means clustering. In *Proceedings of the 19th international conference on World wide web*, pages 1177–1178. ACM, 2010.
- [23] N. Shah, A. Beutel, B. Gallagher, and C. Faloutsos. Spotting suspicious link behavior with fbox: An adversarial perspective. In *Data Mining (ICDM), 2014 IEEE International Conference on*, pages 959–964. IEEE, 2014.
- [24] N. Shah, A. Beutel, B. Hooi, L. Akoglu, S. Gunnemann, D. Makhija, M. Kumar, and C. Faloutsos. Edgecentric: Anomaly detection in edge-attributed networks. *arXiv preprint arXiv:1510.05544*, 2015.
- [25] K. Sripanidkulchai, B. Maggs, and H. Zhang. An analysis of live streaming workloads on the internet. In *Proceedings of the 4th ACM SIGCOMM conference on Internet measurement*, pages 41–54. ACM, 2004.
- [26] E. Veloso, V. Almeida, W. Meira, A. Bestavros, and S. Jin. A hierarchical characterization of a live streaming media workload. In *Proceedings of the 2nd ACM SIGCOMM Workshop on Internet measurement*, pages 117–130. ACM, 2002.
- [27] D. Wu, Y. Liu, and K. W. Ross. Queuing network models for multi-channel p2p live streaming systems. In *INFOCOM 2009, IEEE*, pages 73–81. IEEE, 2009.
- [28] C. Xiao, D. M. Freeman, and T. Hwa. Detecting clusters of fake accounts in online social networks. In *Proceedings of the 8th ACM Workshop on Artificial Intelligence and Security*, pages 91–101. ACM, 2015.
- [29] H. Yu, M. Kaminsky, P. B. Gibbons, and A. Flaxman. Sybilguard: defending against sybil attacks via social networks. *ACM SIGCOMM Computer Communication Review*, 36(4):267–278, 2006.