

10. REFERENCES

- [1] R. Wang, M. Xue, K. Liu, et al. Data-driven privacy analytics: A wechat case study in location-based social networks. In *Wireless Algorithms, Systems, and Applications*. Springer, 2015.
- [2] Apple’s commitment to your privacy. <http://www.apple.com/privacy/>.
- [3] V. D. Blondel, M. Esch, C. Chan, et al. Data for development: the d4d challenge on mobile phone data. *arXiv preprint arXiv:1210.0137*, 2012.
- [4] G. Acs and C. Castelluccia. A case study: privacy preserving release of spatio-temporal density in paris. In *ACM SIGKDD*. ACM, 2014.
- [5] China telcome’ big data products. <http://www.dtbody.com/>.
- [6] C. Song, Z. Qu, and N. Blumm. Limits of predictability in human mobility. *Science*, 2010.
- [7] S. Isaacman, R. Becker, R. Cáceres, et al. Ranges of human mobility in Los Angeles and New York. In *IEEE PERCOM Workshops*. IEEE, 2011.
- [8] S. Isaacman, R. Becker, R. Cáceres, et al. Human mobility modeling at metropolitan scales. In *ACM MOBISYS*. ACM, 2012.
- [9] M. Seshadri, S. Machiraju, A. Sridharan, et al. Mobile call graphs: beyond power-law and lognormal distributions. In *ACM KDD*. ACM, 2008.
- [10] Y. Wang, H. Zang, and M. Faloutsos. Inferring cellular user demographic information using homophily on call graphs. In *IEEE INFOCOM WKSHPs*. IEEE, 2013.
- [11] A. Wesolowski, N. Eagle, A. J. Tatem, et al. Quantifying the impact of human mobility on malaria. *Science*, 2012.
- [12] M. Saravanan, P. Karthikeyan, and A. Aarthi. Exploring community structure to understand disease spread and control using mobile call detail records. *NetMob D4D Challenge*, 2013.
- [13] R. W. Douglass, D. A. Meyer, M. Ram, et al. High resolution population estimates from telecommunications data. *EPJ Data Science*, 2015.
- [14] H. Wang, F. Xu, Y. Li, et al. Understanding mobile traffic patterns of large scale cellular towers in urban environment. In *ACM IMC*. ACM, 2015.
- [15] L. Sweeney. k-anonymity: A model for protecting privacy. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 2002.
- [16] Y. de Montjoye, L. Radaelli, V. K. Singh, et al. Unique in the shopping mall: On the reidentifiability of credit card metadata. *Science*, 2015.
- [17] H. Zang and J. Bolot. Anonymization of location data does not work: A large-scale measurement study. In *ACM Mobicom*. ACM, 2011.
- [18] M. Gramaglia and M. Fiore. Hiding mobile traffic fingerprints with glove. *ACM CoNEXT*, 2015.
- [19] A.-L. Barabasi. The origin of bursts and heavy tails in human dynamics. *Nature*, 2005.
- [20] A. Machanavajjhala, D. Kifer, J. Gehrke, et al. l-diversity: Privacy beyond k-anonymity. *ACM TKDD*, 2007.
- [21] Y. de Montjoye, C. A. Hidalgo, M. Verleysen, et al. Unique in the crowd: The privacy bounds of human mobility. *Scientific reports*, 2013.
- [22] G. B. Dantzig. *Linear programming and extensions*. Princeton university press, 1998.
- [23] H. W. Kuhn. The Hungarian method for the assignment problem. *Naval research logistics quarterly*, 1955.
- [24] O. Abul, F. Bonchi, and M. Nanni. Anonymization of moving objects databases by clustering and perturbation. *Information Systems*, 2010.
- [25] Pascal Welke, Ionut Andone, Konrad Blaszkiewicz, and Alexander Markowetz. Differentiating smartphone users by app usage. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing*, pages 519–523. ACM, 2016.
- [26] Lukasz Olejnik, Claude Castelluccia, and Artur Janc. Why johnny can’t browse in peace: On the uniqueness of web browsing history patterns. In *5th Workshop on Hot Topics in Privacy Enhancing Technologies (HotPETs 2012)*, 2012.
- [27] M. C. Gonzalez, C. A. Hidalgo, and A.-L. Barabasi. Understanding individual human mobility patterns. *Nature*, 2008.
- [28] C. Song, T. Koren, P. Wang, et al. Modelling the scaling properties of human mobility. *Nature Physics*, 2010.
- [29] Y. Liu, K. P. Gummadi, B. Krishnamurthy, et al. Analyzing facebook privacy settings: user expectations vs. reality. In *ACM IMC*. ACM, 2011.
- [30] B. Krishnamurthy and C. E. Wills. Generating a privacy footprint on the internet. In *ACM IMC*. ACM, 2006.
- [31] S. Le B., C. Zhang, A. Legout, et al. I know where you are and what you are sharing: exploiting p2p communications to invade users’ privacy. In *ACM IMC*. ACM, 2011.
- [32] S. Liu, I. Foster, S. Savage, et al. Who is. com? learning to parse whois records. In *ACM IMC*. ACM, 2015.
- [33] H. Kido, Y. Yanagisawa, and T. Satoh. Protection of location privacy using dummies for location-based services. In *IEEE ICDEW*. IEEE, 2005.
- [34] A. Monreale, G. L. Andrienko, N. V. Andrienko, et al. Movement data anonymity through generalization. *Transactions on Data Privacy*, 2010.
- [35] K. Sui, Y. Zhao, D. Liu, et al. Your trajectory privacy can be breached even if you walk in groups. *IEEE/ACM IWQoS*, 2016.
- [36] Y. Song, D. Dahlmeier, and S. Bressan. Not so unique in the crowd: a simple and effective algorithm for anonymizing location data. In *PIR@ SIGIR*, 2014.
- [37] S. Garfinkel. Privacy protection and RFID. In *Ubiquitous and Pervasive Commerce*. Springer, 2006.
- [38] J. Domingo-Ferrer and R. Trujillo-Rasua. Microaggregation-and permutation-based anonymization of movement data. *Information Sciences*, 2012.
- [39] Cynthia Dwork, Adam Smith, Thomas Steinke, Jonathan Ullman, and Salil Vadhan. Robust traceability from trace amounts. In *Foundations of Computer Science (FOCS), 2015 IEEE 56th Annual Symposium on*, pages 650–669. IEEE, 2015.