





















- link function. *Proceedings of the Eighteenth International Conference on Artificial Intelligence and Statistics*, 2015.
- [3] S. Acharyya, O. Koyejo, and J. Ghosh. Learning to Rank with Bregman Divergences and Monotone Retargeting. In *Proc. UAI 2012*, pages 15–25, 2012.
- [4] K. J. Arrow. A difficulty in the concept of social welfare. *The Journal of Political Economy*, pages 328–346, 1950.
- [5] J. A. Aslam and M. Montague. Models for metasearch. In *Proceedings of the 24th annual international ACM SIGIR conference on Research and development in information retrieval*, pages 276–284. ACM, 2001.
- [6] A. Banerjee, S. Merugu, I. S. Dhillon, and J. Ghosh. Clustering with Bregman divergences. *The Journal of Machine Learning Research*, 6:1705–1749, 2005.
- [7] A. Bhowmik, J. Ghosh, and O. Koyejo. Generalized Linear Models for Aggregated Data. In *Proceedings of the Eighteenth International Conference on Artificial Intelligence and Statistics*, pages 93–101, 2015.
- [8] D. Black. On the rationale of group decision-making. *The Journal of Political Economy*, pages 23–34, 1948.
- [9] C. Cavanagh and R. P. Sherman. Rank estimators for monotonic index models. *Journal of Econometrics*, 84(2):351–381, 1998.
- [10] S. Chen, F. Wang, Y. Song, and C. Zhang. Semi-supervised ranking aggregation. *Information Processing & Management*, 47(3):415–425, 2011.
- [11] C. Dwork, R. Kumar, M. Naor, and D. Sivakumar. Rank aggregation revisited, 2001.
- [12] J. A. Fox and E. Shaw. Combination of multiple sources: The trec-2 interactive track matrix experiment. In *ACM SIGIR-94*, 1994.
- [13] S. Grotzinger and C. Witzgall. Projections onto order simplexes. *Applied mathematics and Optimization*, 12(1):247–270, 1984.
- [14] S. Grotzinger and C. Witzgall. Projections onto order simplexes. *Applied mathematics and Optimization*, 12(1):247–270, 1984.
- [15] R. Herbrich, T. Graepel, and K. Obermayer. Support vector learning for ordinal regression. 1999.
- [16] S. C. Hoi and R. Jin. Semi-supervised ensemble ranking. In *AAAI*, pages 634–639, 2008.
- [17] R. Iyer and J. Bilmes. The lovász-bregman divergence and connections to rank aggregation, clustering, and web ranking. *Uncertainty in Artificial Intelligence*, 2013.
- [18] K. Järvelin and J. Kekäläinen. Ir evaluation methods for retrieving highly relevant documents. In *Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval*, pages 41–48. ACM, 2000.
- [19] K. S. Jones, S. Walker, and S. E. Robertson. A probabilistic model of information retrieval: development and comparative experiments: Part 2. *Information Processing & Management*, 36(6):809–840, 2000.
- [20] M. G. Kendall. A new measure of rank correlation. *Biometrika*, pages 81–93, 1938.
- [21] M. G. Kendall. Rank correlation methods. 1948.
- [22] A. Klementiev, D. Roth, and K. Small. Unsupervised rank aggregation with distance-based models. In *Proceedings of the 25th international conference on machine learning*, pages 472–479. ACM, 2008.
- [23] O. Koyejo, S. Acharyya, and J. Ghosh. Retargeted matrix factorization for collaborative filtering. In *Proceedings of the 7th ACM conference on Recommender systems*, pages 49–56. ACM, 2013.
- [24] G. Lebanon and J. Lafferty. Cranking: Combining rankings using conditional probability models on permutations. In *ICML*, volume 2, pages 363–370, 2002.
- [25] J. H. Lee. Analyses of multiple evidence combination. In *ACM SIGIR Forum*, volume 31, pages 267–276. ACM, 1997.
- [26] H. Li. Learning to rank for information retrieval and natural language processing. *Synthesis Lectures on Human Language Technologies*, 7(3):1–121, 2014.
- [27] Y.-T. Liu, T.-Y. Liu, T. Qin, Z.-M. Ma, and H. Li. Supervised rank aggregation. In *Proceedings of the 16th international conference on World Wide Web*, pages 481–490. ACM, 2007.
- [28] P. McCullagh and J. A. Nelder. Generalized linear models. 1989.
- [29] M. Pujari and R. Kanawati. Supervised rank aggregation approach for link prediction in complex networks. In *Proceedings of the 21st international conference companion on world wide web*, pages 1189–1196. ACM, 2012.
- [30] T. Qin and T.-Y. Liu. Introducing letor 4.0 datasets. *arXiv preprint arXiv:1306.2597*, 2013.
- [31] T. Qin, T.-Y. Liu, J. Xu, and H. Li. Letor: A benchmark collection for research on learning to rank for information retrieval. *Information Retrieval*, 13(4):346–374, 2010.
- [32] V. Raman and S. Saurabh. Parameterized algorithms for feedback set problems and their duals in tournaments. *Theoretical Computer Science*, 351(3):446–458, 2006.
- [33] S. Rendle, C. Freudenthaler, Z. Gantner, and L. Schmidt-Thieme. BPR: Bayesian personalized ranking from implicit feedback. In *Proceedings of the Twenty-Fifth Conference on Uncertainty in Artificial Intelligence*, pages 452–461. AUAI Press, 2009.
- [34] D. G. Saari. Explaining all three-alternative voting outcomes. *Journal of Economic Theory*, 87(2):313–355, 1999.
- [35] K. Subbian and P. Melville. Supervised rank aggregation for predicting influencers in twitter. In *Privacy, Security, Risk and Trust (PASSAT) and 2011 IEEE Third International Conference on Social Computing (Social-Com), 2011 IEEE Third International Conference on*, pages 661–665. IEEE, 2011.
- [36] C. Zhai and J. Lafferty. A study of smoothing methods for language models applied to ad hoc information retrieval. In *Proceedings of the 24th annual international ACM SIGIR conference on Research and development in information retrieval*, pages 334–342. ACM, 2001.