





















- Meeting of the Association for Computational Linguistics (ACL-14)*, pages 1415–1425, 2014.
- [6] K. Bollacker, C. Evans, P. Paritosh, T. Sturge, and J. Taylor. Freebase: a collaboratively created graph database for structuring human knowledge. In *Proceedings of the 2008 ACM SIGMOD international conference on Management of data*, pages 1247–1250. ACM, 2008.
- [7] D. L. Chen and R. J. Mooney. Learning to interpret natural language navigation instructions from observations. In *AAAI*, volume 2, pages 1–2, 2011.
- [8] C. Dixon, R. Mahajan, S. Agarwal, A. Brush, B. Lee, S. Saroiu, and P. Bahl. An operating system for the home. In *Presented as part of the 9th USENIX Symposium on Networked Systems Design and Implementation (NSDI 12)*, pages 337–352, 2012.
- [9] L. Dong and M. Lapata. Language to logical form with neural attention. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (ACL-16)*, pages 33–34, 2016.
- [10] Google Weave. <https://developers.google.com/weave>.
- [11] M. Gordon and C. Breazeal. Designing a virtual assistant for in-car child entertainment. In *Proceedings of the 14th International Conference on Interaction Design and Children*, pages 359–362. ACM, 2015.
- [12] P. H. Harvey, E. Currie, P. Daryanani, and J. C. Augusto. Enhancing student support with a virtual assistant. In *International Conference on E-Learning, E-Education, and Online Training*, pages 101–109. Springer, 2015.
- [13] J. Huang and M. Cakmak. Supporting mental model accuracy in trigger-action programming. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing*, pages 215–225. ACM, 2015.
- [14] If This Then That. <http://ifttt.com>.
- [15] R. J. Kate, Y. W. Wong, and R. J. Mooney. Learning to transform natural to formal languages. In *Proceedings of the National Conference on Artificial Intelligence*, volume 20, page 1062, 2005.
- [16] P. Kenny, T. Parsons, J. Gratch, and A. Rizzo. Virtual humans for assisted health care. In *Proceedings of the 1st international conference on Pervasive Technologies Related to Assistive Environments*, page 6. ACM, 2008.
- [17] W. J. Kent, C. W. Sugnet, T. S. Furey, K. M. Roskin, T. H. Pringle, A. M. Zahler, and D. Haussler. The human genome browser at UCSC. *Genome research*, 12(6):996–1006, 2002.
- [18] C. Liu, X. Chen, E. C. Shin, M. Chen, and D. Song. Latent attention for if-then program synthesis. In *Advances in Neural Information Processing Systems*, pages 4574–4582, 2016.
- [19] S. Mayer, N. Inhelder, R. Verborgh, R. Van de Walle, and F. Mattern. Configuration of smart environments made simple: Combining visual modeling with semantic metadata and reasoning. In *Internet of Things (IOT), 2014 International Conference on the*, pages 61–66. IEEE, 2014.
- [20] Nest. <https://developer.nest.com>.
- [21] P. Pasupat and P. Liang. Compositional semantic parsing on semi-structured tables. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics (ACL-15)*, pages 1470–1480, 2015.
- [22] C. Quirk, R. Mooney, and M. Galley. Language to code: Learning semantic parsers for if-this-then-that recipes. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics (ACL-15)*, pages 878–888, 2015.
- [23] Samsung SmartThings. <http://www.smartthings.com>.
- [24] Sportradar. <http://sportradar.us>.
- [25] K. N. Truong, E. M. Huang, and G. D. Abowd. Camp: A magnetic poetry interface for end-user programming of capture applications for the home. In *International Conference on Ubiquitous Computing*, pages 143–160. Springer, 2004.
- [26] B. Ur, E. McManus, M. Pak Yong Ho, and M. L. Littman. Practical trigger-action programming in the smart home. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 803–812. ACM, 2014.
- [27] M. Walch, M. Rietzler, J. Greim, F. Schaub, B. Wiedersheim, and M. Weber. homeblox: making home automation usable. In *Proceedings of the 2013 ACM conference on Pervasive and ubiquitous computing adjunct publication*, pages 295–298. ACM, 2013.
- [28] Y. Wang, J. Berant, and P. Liang. Building a semantic parser overnight. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics (ACL-15)*, pages 1332–1342, 2015.
- [29] E. Weisstein et al. Wolfram mathworld, 2007.
- [30] C. Xiao, M. Dymetman, and C. Gardent. Sequence-based structured prediction for semantic parsing. *Proceedings Association For Computational Linguistics, Berlin*, pages 1341–1350, 2016.
- [31] L. S. Zettlemoyer and M. Collins. Learning to map sentences to logical form: structured classification with probabilistic categorial grammars. In *Proceedings of the Twenty-First Conference on Uncertainty in Artificial Intelligence*, pages 658–666. AUAI Press, 2005.